

Merry Christmas From SRW

Fancy bagging a **FREE** gift for yourself (or maybe someone else we wont tell) this Christmas? Well its simple. Purchase any of the items on this leaflet and if you spend the qualifying amount then we will include your Free Christmas Gift.









Promotion conditions: To qualify for this offer just spend the qualifying value excluding vat on products listed on this leaflet in a single order for delivery between 01/12/25 and 24/12/25. The pictures shown are representative and the actual package / product / game bundle may vary. The free gifts shown are subject to availability and may be substituted with a gift of equivalent value if stock is not available. No cash equivalent will be offered.

Tel: **01273 455530** Email: **sales@srw.co.uk** Fax: 01273 455575

SRW Unit 4 Harbour Way Shoreham By Sea West Sussex BN43 5HG









Fieldpiece 3 way Digital manifold with wireless temperature clamps and built in high accuracy vacuum gauge.

- ✓ Full superheat / subcool analysis
- \checkmark Weather resistant IP55 heavy duty design
- ✓ Integrates and provides remote display of SRS3 Digital scales
- ✓ Certified for use with refrigerants, including A2L, A2, and A3

262902 3 Port Wireless SMAN382V + clamps



Fieldpiece SMAN 482V Wireless Digital Manifold











Fieldpiece SM482VINT Manifold 4-port with Built-in high accuracy Vacuum Gauge and Integrate with Job Link® tools Full superheat / subcool analysis

- ✓ Weather resistant IP55 heavy duty design
- ✓ Integrates and provides remote display of SRS3 Digital scales
- ✓ Certified for use with refrigerants, including A2L, A2, and A3





The SR47 scales can be used on their own. But when linked to the SM380V/SM4890V manifolds it provides live weight data direct to the manifold display. Additionally connects to Job Link Mobile System app.

242402 SR47 intelligent digital scales 282.00

Fieldpiece MR45 **Digital Recovery Unit**



- Powerful 1Hp DC motor
- Backlit easy to read digital display
- Water resistant withstands direct rain ✓ R32 ready

209602	Fieldpiece MR45 230v	1008.00
241202	Fieldpiece MR45 110v	997.10

Fieldpiece. VP67 √ 4 input ports

- ✓ High Performance
- ✓ RunQuick™ oil change system

238902	6 cfm	110/230v	RunQuick VP67UK	451.31
238802	8 cfm	230v	RunQuick VP87UK230	601.58
238702	8 cfm	110v	RunQuick VP87UK	603.65
238602	10 cfm	230v	RunQuick VPX7UK230	850.60
238502	10 cfm	110v	RunQuick VPX7UK	850.60

Vacuum Gauge

Fieldpiece MG44 Digital

Fieldpiece

194.00

Fieldpiece RunQuick

Vacuum Pumps



246602	HR3B 1/4 1.5m long set of 3	138.79
246702	HR3BC 5/16 1.5m long set of 3	139.20

Fieldpiece Low Loss Hose



This tough, new wireless vacuum gauge, MG44 is engineered to
give you the reliable readings you need - and the ease of use you
want

- Three ways to use
- Stand alone with backlit digital display

238402 MG44 wireless vacuum gauge

- Connect to and monitor remotely with SMAN manifold 305m
- ✓ Connect to and monitor wirelessly via Job LInk App

246902 HR3CM 72" 5/16 1.5m long set of 3



247002	3/8" x 3/8" 1.5m long	63.20	
247102	1/4" x 3/8" 1.5m long	63.20	

✓ Water Resistance: IP54



Fieldpiece Valve Core Removal Tool



High end valve core removal tools for faster charging and recovery.

256502	VC1E 1/4" & 5/16" single ball valve	82.60
256602	VC1GE 1/4" & 5/16 " single ball valve plus Sight Glass	94.50
256702	VC2GE 1/4" & 5/16" dual ball valves plus Sight Glass	123.20



Get a FREE Echo Dot or Fire Tv Stick

Spend £1500

Get a FREE Apple TV 4k or 4 Apple AirTags

Spend £2500

Get a FREE Bose SC Headphones or AirPod Pro 3

Spend £4000







Diversitch Redbox Tank Pumps



Fitted with metal mounting tabs for optional wall mounting. The universal power lead makes the pump easy to install, service

LED indicators highlight when the pump has power, is running and when the high level alarm has been activated

	Head Flow	1-4	5+
188606 Redbox-1L-S 1 litre	5.1 m 280 l/h	46.71	42.04
188706 Redbox-2L-S 2 litre	5.1 m 280 l/h	46.71	42.04



Dixell Universal R



Dixell Universal R

Advanced multi purpose universal control to replace almost any standard refrigeration control. Suitable for 1 or 2 probe applications.

		1-4	5+
103305	Universal-R controller	67.17	60.45



Eliwell ID Range



A range of excellent value basic controllers Preprogrammed for quick and easy installation, they are ready to use straight out of the box.

Supply: 230v Probes: ntc IDCool: 3-15C IDChill/ Freeze: -40 - 5C

123605	IDCool	25.77	23.19
123705	IDChill / Freeze	33.81	30.43



Easy Cool / Easy Freeze





Easy Cool - Off cycle defrost only comes with 1 probe Pre programmed with +3 C set point and off cycle defrost.

Easy Freeze - For all defrost modes comes with 2 probes. Pre programmed set point -18 °C and defrost by temperature.

		1-4	5+
139205	Easy Cool	40.31	33.46
139305	Easy Freeze	66.26	55.00

Aspen Max Hi Flow **Condensate Pump**



Aspen Max Hi-Flow tank pump is the quietest & safest pump in its Head Flow

159406 Aspen Max Hi Flow1.7 L 5 m 550 l/h 63.79

PH-2L-SS-Black -2 Litre **Condensate Pump**



Head Flow 190506 2 It Pump house pump 7.2 m 480 l/h 42.33

Elco MultiFit Fan Motors



194505	7W Multifit	15.41	13.87
156205	10W Multifit	15.30	13.77
194805	16W Multifit	19.12	17.21
156405	18W Multifit	19.36	17.42
156105	25W Multifit	22.08	19.87
156305	34W Multifit	23.34	21.01

Copper Tube

1-9

Soft Cop	oper in 15m coils	1-4	5+
43301	1/4 x 15m Coil	33.28	23.30
43901	3/8 x 15m Coil	58.68	41.08
44201	1/2 x 15m Coil	80.16	56.11
44501	5/8 x 15m Coil	113.46	79.42
44801	3/4 x 15m Coil	152.03	106.42
45101	7/8 x 15m Coil	178.59	125.01

Insulation

Kaiflex ST Insulation

13mm wali		1-9	10+
128601	1/4 x 15m roll	16.23	11.36
128701	3/8 x 15m roll	17.02	11.91
128801	1/2 x 15m roll	17.35	12.14
128901	5/8 x 15m roll	17.65	12.35
129001	3/4 x 15m roll	19.90	13.93



Trunking

CLIMA plus

	Colour / Size	Box Qty	Each*	
137806	White 80 x 60 x 2m	8	13.19	105.52
104906	White 90 x 65 x 2m	8	12.62	100.96
105006	White 125 x 75 x 2m	6	18.59	111.54

Order box quantity only to qualify for Christmas offer *after box quantity discount applied

INABA DENKO



inaba	Colour / Size	Box Qty	Each*	per box
157206	Black 75mm 2m	5	20.11	100.55
169306	Black 100mm 2m	5	30.49	152.45
180306	Brown 75mm 2m	5	21.34	106.70
251606	White 75mm 2m	10	20.57	205.70
251506	White 75mm 2m	10	21.62	216.20
191606	Anthracite 75mm 2m	10	20.69	206.90

Order box quantity only to qualify for Christmas offer *after box quantity discount applied





rder box quantity only to qualify for Christmas of *after box quantity discount applied


5

13.31

66.55



White CDW-75



Order box quantity only to qualify for Christmas offer *after box quantity discount applied



100% Rust Proof Brackets

New Improved 2 piece model

- 100% Rust Proof
- Capacity up to 90 Kg
- ✓ Light weight
- Easy to Carry Easy to fit
- Integral Spirit Level



10+ 1-9 188206 90Kg V9 Quick Fit 35.67 28.54

Spend £1500

Get a FREE Echo Dot or Fire Tv Stick

Spend £1500

Get a FREE Apple TV 4k or 4 Apple AirTags Spend £2500

Get a FREE **Bose SC Headphones** or AirPod Pro 3

Spend £4000







JAVAC Edge 240V Portable Lifter



Professional equipment to lift heavy devices and Suitable for pipe equipment of freezing, air coolers, air conditioners, indoor machinery, water freezers and electrical equipment.

346502 JAVAC Edge 240V Portable Lifter

1149.54



Super portable lift from Refco. Ideal for a multitude of site applications from lifting A/c units into place, positioning indoor units, duct work, evaporators etc.





The latest testo 55x smart manifolds take digital manifolds to a new level of practicality, reliability and accuracy. With larger clearer graphic displays and the latest bluetooth technology for even greater wireless range.

- Compact robust housing with IP 54 protection class
- ✓ Next generation graphic display
- ✓ 90 Refrigerants stored new refrigerants can be added via the App
- $\checkmark~$ Bluetooth 5.0 for probe connection range up to 150m
- Wireless sensors for temperature and vacuum
- Even greater flexibility to store measurements and notes with the testo Smart App

220402	550s Basic Manifold Set - Cable temp probes	345.00
220502	550s Smart Manifold Set - Wireless temp Probes	398.76
220602	550s Smart Set - Wireless temp Probes & Hoses	422.19
263102	Testo 558s Smart Vacuum Kit	441.37
263202	Testo 558s Smart Vacuum Kit + Hoses	529.82



Digital charging scale with 120 kg capacity and a 5 gram resolution. Remote digital control pad and scales can be removed from case for ease of use.

75107 RS12005 120Kg Digital scales 1:










77107	2 way manifold set R22, 134, 404 & 407	67.50
84007	2 way manifold set R600	69.50







40407

Pro 100 tube expander set

189.00

36.66

Spend £1500

212102

174502

Get a FREE Echo Dot or Fire Tv Stick

Imperial 470 FH Quad size bender

Imperial 370 FH Triple size bender

Spend £1500

53.21

66.31

Get a FREE Apple TV 4k or 4 Apple AirTags

Advanced HydroSprayer 8L

Spend £2500

Get a FREE Bose SC Headphones or AirPod Pro 3

46.44

Spend £4000







display

✓ Accuracy

√ 18 alarm levels.

3g per year

Tif XP-1 Leak Detector





Heated Diode

Detects all HFC,

CFC, HCFC

proven D-Tek

Very reliable

Sensor

✓ Accuracy 2g

per year

sensor

Javac Tek-Mate



Mastercool 55800





- Meets and exceeds J2791 (R134a) and J2913 (R1234vf).
- √ 3 Sensitivity levels
- ✓ Multi colour display
- Detects all CFC's, HCFC's HFC's R32, R-1234yf
- ✓ 2000 hour sensor life



HCFC's, HFC's & R32

Detects all CFC's,

103002 Tif XP-1

184.38

Javac Tek Mate

222.36

182602 55800 Leak Detector

243.54



Accuracy

3g per year Detects HFC,

Hydrocarbons.

✓ Tri colour display

✓ Fast response time

including

R32 .R600

Leaktronic-5 Leak Detector





Javac D-Tek 3





ammonia & SF6

- Accuracy 1g per year
- Ultra high sensitivity to all standard refrigerants
- Compatible with optional CO2 sensor
- Longest sensor life in the industry





- Detects all HCFCs. HFCs, CFC, plus R600
- Accuracy < 4g per year EN14624
- Led leak strength indicator
- Automatic zeroing accuracy and of use



testo 316-3 Leak Detector

240902 Leaktronic-5

183.89

237902 Javac D-Tek 3

558.88

196502 testo 316-3 Leak Detector

Testo 316-4





Bosh CS LD 1.0 Leak Detector









- Accuracy <1g per year
- Detects CFC, HCFC,HFC, HFO compounds,
- HC refrigerants,











- Accuracy 1g per year
- Infrared sensor
- Detects all CFCs, HCFCs, HFCs, and HFOs
- 3 operating modes Cloud hunt, Pinpoint & Manual zero







NH3 sensor

163102 testo 316-4



238102 Bosch CS LD 1.0

427.43

211602 D-Tek Stratus

1134.69

Get a FREE

Spend

445.00

Spend £1500

Get a FREE **Echo Dot or** Fire Tv Stick

Spend £1500

Get a FREE Apple TV 4k or 4 Apple AirTags

Spend £2500

Bose SC Headphones or AirPod Pro 3

£4000







Rothenberger RoRec **Recovery Unit**



Dual 240/110v recovery machine from with 1/2 hp oil less compressor. Suitable for all commonly used CFC, HCFC & HFC refrigerants

186202 Rothenberger RoRec 240 / 110 v 952.56



Promax MiniMax **Recovery Unit**



The MiniMax features Promax's proven 96 bar oil-less compressor and is suitable for continuous recovery (liquid / vapour) of most common refrigerants including R410a and R32

110802	Promax Minimax 240v	770.24
116202	Promax Minimax 110v	770.24

240v

UL2008

Liauid 111

Vapour

Recovery Kg/hr


9.6

Promax RG5410 Extreme



Robinair

Vacuum Pumps





testo 565i **Intelligent Vacuum Pump**



- Self-starting vacuum hold test
- Auto-stop function when target vacuum reached
- Links to testo smart manifolds and probes

257102	Testo 565i 7 cfm 240v	410.00
257202	Testo 565i 10 cfm 240v	565.00

Javac CC-141-A2L 5.3 CFM



Spark proof Javac dual voltage recovery unit with X-connect voltage protection

XTR-PRO-DV-A2L Recovery Machine 901.43 204502

Promax RG3000

Recovery Units

An incredibly compact machine measuring only 25cm high and

RG3000 Recovery machine 240v

RG3000 Recovery machine 110v

the tried and tested Promax oil-less compressor.

30cm long and weighing just 8kg. In fact it is not much larger than the standard vacuum pump. However it still packs a punch thanks to



Extreme the most powerful version of the RG5410 yet



252802	1.5 cfm Mastercool Black 90059	193.07
246402	2.5 cfm Mastercool Black 90063	287.37
246502	5 cfm Mastercool Black 90066	346.00
256302	7 cfm Mastercool Black 90068	381.88
256402	10 cfm Mastercool Black 90612	539.92



699.00

Upgraded Promax compressor and large 3 row condenser make the



252802	1.5 cfm Mastercool Black 90059	193.07
246402	2.5 cfm Mastercool Black 90063	287.37
246502	5 cfm Mastercool Black 90066	346.00
256302	7 cfm Mastercool Black 90068	381.88
256402	10 cfm Mastercool Black 90612	539 92





- ✓ Dual Voltage
- Ultimate vacuum 15 microns
- √ Free air displacement 151 l/m (5.3 CFM)
- ✓ Motor size 1/2 HP

241802 Javac CC-141-A2L

328.59

Spend £1500

Vapour

UL2008 Recovery Kg/hr Liquid Vapour

164502

164602

Get a FREE **Echo Dot or** Fire Tv Stick

Spend £1500

705.95

705.95

Get a FREE Apple TV 4k or 4 Apple AirTags Spend £2500

Get a FREE Bose SC Headphones or AirPod Pro 3

Spend £4000







Fieldpiece SC260 **Compact Clamp Meter**



Fieldpiece ST4 Thermometer



testo 760-1 Multimeter



Rugged twin input dual display digital

- Takes any K type probe
- √ 0.1 degree resolution
- ✓ Twin probe / twin display,
- ✓ Min / Max / Hold buttons,
- Differential and Relative readings,
- °C / °F switchable display,
- ✓ Range -58 °C to 2000 °C
- ✓ Supplied with 2 wire probes.



✓ Exclusive Auto Test Setup

- ✓ AC / DC Current 10A
- ✓ AC / DC Voltage 600v
- ✓ Resistance 0.1-40 M/ohms
- ✓ Capacitance to 100 µF



236202 SC260 Compact Clamp Meter

✓ Compact - fits in small spaces

✓ Ability to measure temperature.

236502 Fieldpiece ST4 Dual Thermometer

188902 Testo 760-1 Multimeter

Clear, patented all-round LED display Fibre-optic technology for voltage indication ✓ Phase rotation check ✓ Ergonomic handle shape

✓ Measuring point illumination

49.00



Fieldpiece SC480 Clamp Meter with Power Range



Fieldpiece SMG5 **Digital Megohmmeter**



210102 SMG5 Digital Megohmmeter

107.69

188602 Testo 750-1 Voltage Tester

testo 750-1 Voltage Tester



- and Job Link® connection
- 3 Phase rotation
- ✓ Ability to measure power in kW
- ✓ True RMS & Non Contact Voltage

236302 SC480 Wireless Clamp Meter

Fieldpiece SC680

Wireless Clamp Mete

261.97



Fieldpiece SIG1 Infra red thermometer



testo 760-1 Multimeter

Advanced clamp meter with wireless connection to Job Link® System for electrical documentation

- ✓ Non contact voltage indicator ✓ Voltage AC 750v / 1000v
- ✓ AC/DC clamp
- ✓ AAC inrush for motor start
- Test 3-phase with two leads
- Power Meter for HVACR with Direct Integration with Job Link® System App



- Temp Range
- ✓ Distance spot: 10:1
- ✓ Display °C / °F
- ✓ laser targeting system
- ✓ Last reading hold



✓ Resistance 0.1 Ω to 40 MΩ

✓ AC/DC 1 mV to 600 V

✓ AC/DC 0.1 to 400 A

The testo 770 Clamp Meter has a unique retractable pincer mechanism for grabbing cables in tight spaces. and automatic measurement parameter

detection.



232002 SC680 Wireless Clamp Meter

300.64

242102 SIG1 Infra red thermometer

Get a FREE

Spend £4000

189402 Testo 770-1 Clamp Meter

Get a FREE

Spend £1500

Get a FREE **Echo Dot or** Fire Tv Stick

Spend £1500

Get a FREE Apple TV 4k or 4 Apple AirTags

Spend £2500

Bose SC Headphones or AirPod Pro 3

66.72

Sony PS 5 digital or Apple iPad







Clearance Items - Unmissable Prices When they're gone they're gone



IMPORTANT note re Clearance Items

All clearance items are new and unused but due to the substantial savings offered they are sold as ex demo with a 28 day warranty limited to the maximum of the amount paid and can only be returned if faulty



Get a FREE Echo Dot or Fire Tv Stick Spend £1500 Get a FREE Apple TV 4k or 4 Apple AirTags Spend £2500 Get a FREE Bose SC Headphones or AirPod Pro 3

Spend £4000